



SIZE		DN	ØE	ØK	A1	B1	C-C	H	h1	b	2-Ø	M	ØD3
50	50	50	70	30	15	11	11	32	22	12	7	8	11
65	70	70	90	30	15	11	11	32	22	12	9	8	11
80	70	90	90	30	15	11	11	32	22	12	9	8	11
100	70	90	90	30	15	11	11	32	22	12	9	8	11
125	70	90	90	30	15	14	14	32	22	14	9	8	14
150	70	90	90	30	15	14	14	32	22	14	9	8	14
200	102	125	35	18	17	17	17	42	30	16	11	10	17
250	102	125	40	20	22	22	22	42	30	16	11	10	22
300	102	140	40	20	22	22	22	42	30	18	11	10	22

SIZE	A	B	C	D	D0	ISO5211	D1	4-Ø	Ø°
2"	14.0	80	4.2	52.9	12.6	F05	120.6	4-19	90
2.5"	15.2	89	4.5.8	64.5	12.6	F07	139.7	4-19	90
3"	15.9	95	4.5.8	78.8	12.6	F07	152.4	4-19	90
4"	17.8	114	5.2	104	15.77	F07	190.5	4-19	45
5"	19.1	127	5.5	123.3	18.92	F07	215.9	4-22.4	45
6"	20.4	139	5.5.8	155.1	18.92	F07	241.3	4-22.4	45
8"	23.8	175	6.1.6	202.5	22.1	F10	298.4	4-22.4	45
10"	27.0	203	6.7.2	250.5	28.45	F10	361.9	4-25.4	30
12"	31.5	242	7.6.9	301.6	31.6	F10	431.8	4-25.4	30

7	O-RING	EPDM	1	
6	BUSHING	P.T.F.E.	4	
5	STEM	Monel K500	1	
4	SEAT	NBR	1	
3	PN	SS304	2	ONLY 2.5" ONE PN
2	DISC	C95400	1	
1	BODY	WCBA2161	1	
NO. PARTS NAME		MATERIAL	QTY	SEAL
TEST PRESSURE		SHELL	17.6	kg/cm <sup>2</sup>
HYDROSTATIC		24	kg/cm <sup>2</sup>	
AIR				
STAND-ARD		DESIGN CODE	API609	
		INSPECTION & TEST	API598	
		END STANDARD	ANSIB16.5 CLASS 150 LBS	
		FACE TO FACE	API609	
TITLE :LEVER WAFER BUTTERFLY VALVE				
DN50-DN300				
APPROVED		DWG NO.		REV
CHECKED				
DRAWN				
DESIGNED		SCALE		UNIT
				mm